









**Notes** These pages of data and notes are still incomplete and as more data is gathered, they will become more complete.

**Black** data is based on field observations  
**Blue** data is based on factory serial number logs.  
**NA** means Not Applicable.  
**Low** means Lowest serial number found to date for this catalog number  
**High** means Highest serial number found to date for this catalog number

**The GREEN block after the model name** indicates the lowest serial number found for a particular model or catalog number  
**The RED block after the model name** indicates the lowest serial number found for a particular model or catalog number  
**The TAN block after the red and green block columns** shows the guns that have catalog numbers for the original versions with the accessories.  
**The BLUE block after the red and green block columns** shows the guns that have catalog numbers for the later versions without the accessories.  
**The PINK hi-lined dates** are dates that are later than expected for that serial number  
**YELLOW hi-lined data** is data that conflicts with the records

**Slide markings**  
**S1**, Right side: "Serial number" - Left side: -- HIGH -- / STANDARD - Top NONE  
**S2**, Right side: NONE - Left side: -- HIGH -- / STANDARD - Top "Serial number"  
**Filled?**

**Frame Markings**  
**FR 1**, Right side: MODEL 106 "serial number" / MILITARY  
**FR 2**, Right side:  
**FR 3**, Right side:  
**FL 1** - Left side: SUPERMATIC / TROPHY  
**FL 2** - Left side: SUPERMATIC / CITATION  
**FL 3** - Left side: SUPERMATIC / TOURNAMENT  
**FL 4** - Left side: OLYMPIC

**Barrel markings**  
**B1**, Left side: .22 LONG RIFLE "EAGLE LOGO" - Right side: HIGH STANDARD MFG. CORP. / HAMDEN, CONN. U.S.A.  
**B2**, Left side: .22 LONG RIFLE "TRIGGER LOGO" - Right side: HIGH STANDARD MFG. CORP. / HAMDEN, CONN. U.S.A.  
**B3**, Left side: .22 SHORT "EAGLE LOGO" - Right side: HIGH STANDARD MFG. CORP. / HAMDEN, CONN. U.S.A.  
**B4**, Left side: .22 SHORT "TRIGGER LOGO" - Right side: HIGH STANDARD MFG. CORP. / HAMDEN, CONN. U.S.A.  
**Filled roll marks ?**

**Frame Top Markings**  
**FT 1**, xxx  
**FT 2**, xxx

**Finish**  
**F 1**, Ground polished and buffed F Flutes polished otherwise matt  
**F 2**, Ground and polished  
**F 3**, Ground and hi polished Bridge sides polished  
**F 4**, Ground and hi polished - matte flutes  
**F 5**, Ground and hi polished - polished flutes

**Grooves on top of Slide and Barrel**  
**G 1**, xxx  
**G 2**, xxx

**Firing Pin tip**  
**FP 1**, Spherical  
**FP 2**, Chisel

**Plug**  
**P 1**, Full brass colored plug except at bottom  
**P 2**, Distinct brass outline of steel plug  
**P 3**, Steel plug with almost no sight of brass.

**Trigger**  
**T 1**, Standard trigger part numbers Regular length pull Gold P/N 10525 Regular length pull Case colored P/N 1052i Regular length pull NICKEL P/N 105 Nickel not used in the 106 series  
**T 2**, Long reach trigger Long length pull Gold P/N 10527 Long length pull Case colored P/N 10528

**Ejector Type**  
**E 1**, xxx  
**E 2**, xxx


**Weights**  
**W 1**, No provisions for weights  
**W 2**, Provisions for weights part numbers  
**W 3**, ISU three piece weights short flat bottomed  
**W 4**, Weight without a longitudinal hole high polish blued P/N 10138 (Revision A) ("2" oz.) & 10777 ("3" oz) Early 1963  
**W 5**, Weight without a longitudinal hole regular polish blued P/N 10144 (Revision A) ("2" oz.) & 10777 ("3" oz) Early 1963  
**W 6**, Weight with a longitudinal hole high polish blued P/N 10138 (Revision D) ("2" oz.) & 10777 ("3" oz) revision date 1/17/1964 L  
**W 7**, Weight with a longitudinal hole regular polish blued P/N 10144 (Revision D) ("2" oz.) & 10777 ("3" oz) revision date 1/17/1964 S  
**W 8**, Weight with a longitudinal hole abrasive blast blued P/N 10144 (Revision G) ("2" oz.) & 10777 ("3" oz) revision date 4/13/1965  
**W 9**, Weight with a longitudinal hole regular polish case colored P/N 10144 (Revision H) ("2" oz.) & 10777 ("3" oz) revision date 4/19/1966  
**W 10**, Weight with a longitudinal hole abrasive blast blued P/N 10144 (Revision J) ("2" oz.) & 10777 ("3" oz) revision date 12/12/1972

**Weight Screws**  
**WS1**, Slotted Filister head screw 6-32 x .63" Polished head and Blued.  
**WS2**, Hex socket head (allen head) screw 6-32 x .63" blued

**Bright Muzzle** Bright muzzle in the white around counter bore Does not apply to the Tournament and Olympic Models Size and birght chamfer??

**Rear Sight**  
**RS 1**, Short blade (.409/.415) Notch width 0.0xx x 0.0xx deep with deperssed markings P/N 10940 Front Sight  
**RS 2**, Tall blade (.449/.455) Notch width 0.0xx x 0.0xx deep and raised markings P/N 10941 FS 1, Low sight (. 5.50" barrel P/N 10720 blade width 0.0xx  
FS 2, Low sight (. 7.25" barrel P/N 10723 blade width 0.0xx  
FS 3, Low sight (. 6.75" barrel P/N 10724  
FS 4, Tall sight 10722  
FS 5, Tall sight 10766  
10765  
Rear sight 3 pins and rivet Third pin is in back of frame to lock rivet  
Rear sight 2 pins and rivet

**Pin Types**  
**P 1**, Barrel stud Pin **Solid**, Recoil spring plug pin **Solid**, Firing Pin retaining pin **Solid**, Takedown plunger spring **Solid**, Trigger pivot pin **Solid**, Sear spring pin **solid**, Grip alignment pin **Solid** Spring pin roll pin groove pin solid pin  
**P 2**, Barrel stud Pin **Solid**, Recoil spring plug pin **Spring**, Firing Pin retaining pin **Spring**, Takedown plunger spring **Solid**, Trigger pivot pin **Solid**  
**P 3**, Barrel stud Pin **Solid**, Recoil spring plug pin **Solid**, Firing Pin retaining pin **Solid**, Takedown plunger spring **Solid**, Trigger pivot pin **Solid**  
**P 4**, Barrel stud Pin **Solid**, Recoil spring plug pin **Solid**, Firing Pin retaining pin **Solid**, Takedown plunger spring **Solid**, Trigger pivot pin **Solid**  
**P 5**, Barrel stud Pin **Solid**, Recoil spring plug pin **Solid**, Firing Pin retaining pin **Solid**, Takedown plunger spring **Solid**, Trigger pivot pin **Solid**

**Sear Pin**  
**SP 1**, Without E clip on right end  E clip  
**SP 2**, With E clip on right end

**Date Code** f suffix located on top of the frame (under the slide) at the forward left of the magazine well

b suffix located on the bottom of the barrel forward of the frame

#### Proof Mark

PM 1. NONE  
PM 2. HPS in an oval

#### Assembler's Mark

AM 1. NONE  
AM 2.

#### Trim

T 1. Case colored magazine release, Case colored Trigger, Safety blue, Slide lock blue  
T 2. Case colored magazine release, Gold colored Trigger, Safety Gold, Slide lock blue  
T 3. Gold colored magazine release, Gold colored Trigger, Safety Gold, Slide lock blue  
T 4. Nickel magazine release, Nickel Trigger, Safety Nickel, Slide lock blue  
T 5. Blue magazine release, Blue Trigger, Safety Blue, Slide lock blue

#### Trigger adjustment

TA 1. Trigger force adjustment not present, Trigger over travel adjustment not present  
TA 2. Trigger force adjustment not present, Trigger over travel by a screw through the trigger  
TA 3. Trigger force adjustment by screw in back of frame, Trigger over travel by a screw through the trigger

#### Magazines

M 1. Blued steel .22 LR, Red plastic base marked HIGH STANDARD, Shell marked 5 & 10, white delrin follower  
M 2. Blued steel .22 LR, Red plastic base marked HIGH STANDARD, Shell marked 5 & 10, Green delrin follower  
M 3. Blued steel .22 Short, Red plastic base marked HIGH STANDARD, Shell marked 5 & 10, Blued steel follower  
M 4. Blued steel .22 Short, Red plastic base marked HIGH STANDARD, Shell marked 5 & 10, Green delrin follower

Type 1 Red base  
Type 2 Red base

A with internal rib  
B Without internal rib

#### Magazine latch

ML 1. Riveted construction Wilhelm Patent  
ML 2. ---- construction Kennedy Patent

#### Stabilizer

ST1. Removable style Stabilizer  
ST2. Provisions for the removable style Stabilizer  
ST3. Integral style Stabilizer  
ST4. No provisions for stabilizer and no integral stabilizer  
ST5. Provisions for a removable stabilizer and integral stabilizer.

#### Grip Straps

GS 1 Smooth  
GS 2 Stippled

#### Grips

A 1. Walnut grips with thumb rest  
A 2. Walnut grips without thumb rest

RH LH

Part Numbers

RHP LHP  
RH TR 10323 10322  
LH TR 10327 10328  
AMB 10323 10328

#### Tools

1. Stabilizer cleaning tool  
2. Allen wrench for the stabilizer xxxx P/N  
3. Allen wrench for the weightstar xx/xx P/N Olympic ISU

#### Boxes

BX 1. Burgandy two piece box with yellow artwork and lettering Eagle logo Interior has small box for accessories and a notch for a spare magazine. For Trophy, Citation or Trournament  
BX 2. Burgandy two piece box with yellow artwork and lettering Eagle logo Interior has no provisions for accessories. For Trophy, Citation or Trournament  
BX 3. Burgandy two piece box with yellow artwork and lettering Eagle logo Interior has small box for accessories and a notch for a spare magazine. For Olympic  
BX 4. Burgandy two piece box with yellow artwork and lettering Eagle logo Interior has no provisions for accessories. For Olympic

Cutout for guns variation:

#### Box Labels

Yellow tape with red/burgandy printing with clear covering layer

L 1. CAT. NO. 9230 / SUPERMATIC TOURNAMENT 5 1/2" / MILITARY MODEL  
L 2. CAT. NO. 9231 / SUPERMATIC TOURNAMENT 7 1/2" / MILITARY MODEL  
L 3. CAT. NO. 9232 / SUPERMATIC TOURNAMENT 5 1/2" / MILITARY MODEL  
L 4. CAT. NO. 9233 / SUPERMATIC TOURNAMENT 7 1/2" / MILITARY MODEL  
L 5. CAT. NO. 9240 / SUPERMATIC CITATION 5 1/2" / MILITARY MODEL  
L 6. CAT. NO. 9241 / SUPERMATIC CITATION 7 1/2" / MILITARY MODEL  
L 7. CAT. NO. 9242 / SUPERMATIC CITATION 5 1/2" / MILITARY MODEL  
L 8. CAT. NO. 9243 / SUPERMATIC CITATION 7 1/2" / MILITARY MODEL

L 9. CAT. NO. 9245 / SUPERMATIC TROPHY 5 1/2" / MILITARY MODEL  
L 10. CAT. NO. 9246 / SUPERMATIC TROPHY 7 1/2" / MILITARY MODEL  
L 11. CAT. NO. 9247 / SUPERMATIC TROPHY 5 1/2" / MILITARY MODEL  
L 12. CAT. NO. 9248 / SUPERMATIC TROPHY 7 1/2" / MILITARY MODEL  
L 13. CAT. NO. 9236 / OLYMPIC 6 1/2" / MILITARY MODEL  
L 14. CAT. NO. 9238 / OLYMPIC 6 1/2" / MILITARY MODEL  
L 15. Model marking tape missing

#### Papers

1. Instruction sheet ID number: 5519 Date 6/65 ref.  
2.  
3.  
4. Warranty card

#### CATALOG NUMBERS

Supermatic Trophy with accessories 5.50" 9245, 7.25" 9246  
Supermatic Trophy without accessories 5.50" 9247, 7.25" 9248  
Supermatic Citation with accessories 5.50" 9240, 7.25" 9241  
Supermatic Citation without accessories 5.50" 9242, 7.25" 9243  
Supermatic Tournament with accessories 5.50" 9230, 6.75" 9231  
Supermatic Tournament without accessories 5.50" 9232, 6.75" 9233  
Olympic ISU with accessories 6.75" 9236  
Olympic ISU without accessories 6.75" 9238

Compiled by John Stimson, Jr..

Released 18 February, 2007, Revised 14 March, 2007, Revised 16 March, 2007, Revised 17 April, 2007, Revised 11 June, 2007, Revised 14 June, 2007, Revised 18 July, 2007, Revised 26 September, 2007, Revised 2 October, 2007, Revised 29 October, 2007  
Revised 11 November, 2007, Revised 14 November, 2007, Revised 31 December, 2007, Revised 5 January, 2008, Revised 21 January, 2008, Revised 29 January, 2008, Revised 11 February, 2008, Revised 15 February, 2008, Revised 11 March, 2008  
Revised 2 March, 2008, Revised 11 March, 2008, Revised 28 April, 2008, Revised 29 April, 2008, Revised 24 June, 2008, Revised 22 August, 2008, Revised 26 January, 2009, Revised 13 February, 2009, Revised 14 February, 2009, Revised 15 May, 2009, Revised 13 October, 2009  
Revised 28 November, 2009, Revised 4 January, 2010, Revised 28 January, 2010, Revised 10 February, 2010, Revised 23 March, 2010, Revised 9 May, 2010, Revised 24 June, 2010  
© John J. Stimson, Jr. 2007, 2008, 2009, 2010, 2011